

# 九年级数学复习测试卷参考答案

## 测试卷(一)

### 一、选择题

1.A 2.C 3.D 4.A 5.D 6.B 7.A 8.B 9.C  
10.B

### 二、填空题

11.  $(m-2)^2$  12. 3 13.  $0.8x$  14. -3 15.  $x \geq -1$   
16. 3 17.  $k^{n+2021}$

### 三、解答题

18. 解: 原式  $= 3 - 2 \times \frac{1}{2} + 8 + 1$   
 $= 3 - 1 + 8 + 1$   
 $= 11.$

19. 解: 原式  $= 4x^2 - 12xy + 9y^2 - 4x^2 + y^2$   
 $= -12xy + 10y^2,$

当  $x = -\frac{1}{3}, y = \frac{1}{2}$  时,

原式  $= -12 \times \left(-\frac{1}{3}\right) \times \frac{1}{2} + 10 \times \left(\frac{1}{2}\right)^2$   
 $= 2 + \frac{5}{2}$   
 $= 4\frac{1}{2}.$

20. 解: 原式  $= \left(\frac{x+1}{x-2} \cdot \frac{x-2}{x-2}\right) \div \frac{x(x-2)}{(x-2)^2}$   
 $= \frac{3}{x-2} \cdot \frac{x-2}{x}$   
 $= \frac{3}{x},$

当  $x = \sqrt{3}$  时, 原式  $= \frac{3}{\sqrt{3}} = \sqrt{3}.$

21. 解: (1)  $A+4B$

(2)  $A+B = 4x^2 - 4xy + y^2 + x^2 + xy - 5y^2,$   
 $= 5x^2 - 3xy - 4y^2,$   
 $= 4x^2 + x^2 - 3xy - 4y^2,$   
 $= 1 - 3,$   
 $= -2.$

22. 解: (1)  $P = \frac{2a}{a^2-b^2} - \frac{1}{a+b} = \frac{2a}{(a+b)(a-b)} - \frac{1}{a+b} =$

$\frac{2a-a-b}{(a+b)(a-b)} = \frac{1}{a-b};$

(2)  $\because$  点  $(a, b)$  在一次函数  $y = x - \sqrt{2}$  的图像上,

$\therefore b = a - \sqrt{2},$

$\therefore a - b = \sqrt{2},$

$\therefore P = \frac{\sqrt{2}}{2};$

23. 解: (1) 原式  $= \frac{(\sqrt{5}+\sqrt{3})(\sqrt{5}+\sqrt{3})}{(\sqrt{5}+\sqrt{3})(\sqrt{5}-\sqrt{3})}$

$= \frac{8+2\sqrt{15}}{2} = 4 + \sqrt{15},$

故答案为:  $4 + \sqrt{15};$

(2) ①  $\sqrt{7-2\sqrt{10}}$

$= \sqrt{(\sqrt{5})^2 + (\sqrt{2})^2 - 2\sqrt{10}}$

$= \sqrt{(\sqrt{5}-\sqrt{2})^2} = \sqrt{5}-\sqrt{2};$

② 原式  $= \sqrt{2} - 1 + \sqrt{3} - \sqrt{2} + 2 - \sqrt{3} + \dots + \sqrt{2019} - \sqrt{2018} = \sqrt{2019} - 1.$

## 测试卷(二)

### 一、选择题

1.A 2.D 3.C 4.B 5.B 6.C 7.D 8.D 9.C  
10.B

### 二、填空题

11. -1 12. 1 13. -2 14. 3 15. 2 16. 250 17.

$\frac{1}{3}$

### 三、解答题

18. 解:  $\begin{cases} 2(x+1) > x & \text{①} \\ 1-2x \geq \frac{x+7}{2} & \text{②} \end{cases}$

解①得,  $x > -2,$

解②得,  $x \leq -1,$

$\therefore$  不等式组的解集为:  $-2 < x \leq -1.$

在数轴上表示为:



19. 解:  $\frac{2}{x+2} + 1 = \frac{x}{x-1},$

方程两边同时乘以  $(x+2)(x-1),$  得

$2(x-1) + (x+2)(x-1) = x(x+2),$

$\therefore x = 4,$

经检验  $x = 4$  是方程的解;

$\therefore$  方程的解为  $x = 4;$

20. 解:  $\because a = 1, b = -3, c = -2;$

$\therefore b^2 - 4ac = (-3)^2 - 4 \times 1 \times (-2) = 9 + 8 = 17;$

$\therefore x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

$$= \frac{3 \pm \sqrt{17}}{2},$$

$$\therefore x_1 = \frac{3 + \sqrt{17}}{2}, x_2 = \frac{3 - \sqrt{17}}{2}.$$

21. 解: 设计划每天生产  $x$  顶帐篷, 则实际每天生产帐篷  $(1+25\%)x$  顶,

$$\text{依题意得: } \frac{10000}{x} - 10 = \frac{10000}{(1+25\%)x}.$$

解得  $x = 200$ .

经检验  $x = 200$  是所列方程的解, 且符合题意.

答: 计划每天生产 200 顶帐篷.

22. 解: (1) 设甲物资采购了  $x$  吨, 乙物资采购了  $y$  吨,

$$\text{依题意, 得: } \begin{cases} x + y = 540 \\ 3x + 2y = 1380 \end{cases},$$

$$\text{解得: } \begin{cases} x = 300 \\ y = 240 \end{cases}.$$

答: 甲物资采购了 300 吨, 乙物资采购了 240 吨.

(2) 设安排 A 型卡车  $m$  辆, 则安排 B 型卡车  $(50-m)$  辆,

$$\text{依题意, 得: } \begin{cases} 7m + 5(50-m) \geq 300 \\ 3m + 7(50-m) \geq 240 \end{cases},$$

$$\text{解得: } 25 \leq m \leq 27 \frac{1}{2}.$$

$\therefore m$  为正整数,

$\therefore m$  可以为 25, 26, 27,

$\therefore$  共有 3 种运输方案, 方案 1: 安排 25 辆 A 型卡车, 25 辆 B 型卡车; 方案 2: 安排 26 辆 A 型卡车, 24 辆 B 型卡车; 方案 3: 安排 27 辆 A 型卡车, 23 辆 B 型卡车.

23. 解: (1) 10; 15.

$$(2) y = \frac{x(x-1)}{2}; \quad 1128.$$

$$(3) \text{依题意, 得: } \frac{x(x-1)}{2} = 190,$$

$$\text{化简, 得: } x^2 - x - 380 = 0,$$

$$\text{解得: } x_1 = 20, x_2 = -19 (\text{不合题意, 舍去}).$$

答: 该班共有 20 名女生.

### 测试卷(三)

#### 一、选择题

1.B 2.D 3.D 4.A 5.C 6.B 7.C 8.A 9.D

10.C

#### 二、填空题

11. -2 12.  $x \neq 2$  13. -9 14. -4 15. 41 16.

(2019, -2) 17.  $-3 \leq b \leq 1$


#### 三、解答题

18. 解: (1) 函数图像如图所示, 设函数表达式为

$$y = \frac{k}{x} (k \neq 0),$$

把  $x = 1, y = 6$  代入, 得  $k = 6$ ,

$$\therefore \text{函数表达式为 } y = \frac{6}{x} (x > 0);$$



(2)  $\because k = 6 > 0$ ,

$\therefore$  在第一象限,  $y$  随  $x$  的增大而减小,

$\therefore 0 < x_1 < x_2$  时, 则  $y_1 > y_2$ .

19. 解: (1) 设大货车、小货车各有  $x$  与  $y$  辆,

$$\text{由题意可知: } \begin{cases} 15x + 10y = 260 \\ x + y = 20 \end{cases},$$

$$\text{解得: } \begin{cases} x = 12 \\ y = 8 \end{cases},$$

答: 大货车、小货车各有 12 辆与 8 辆.

(2) 设到 A 地的大货车有  $x$  辆, 则到 A 地的小货车有  $(10-x)$  辆,

到 B 地的大货车有  $(12-x)$  辆, 到 B 地的小货车有  $(x-2)$  辆,

$$\therefore y = 900x + 500(10-x) + 1000(12-x) + 700(x-2) = 100x + 15600,$$

其中  $2 < x < 10$ .

(3) 运往 A 地的物资共有  $[15x + 10(10-x)]$  吨,

$$15x + 10(10-x) \geq 140,$$

$$\text{解得: } x \geq 8,$$

$$\therefore 8 \leq x < 10,$$

当  $x = 8$  时,

$y$  有最小值, 此时  $y = 100 \times 8 + 15600 = 16400$  元,

答: 总运费最小值为 16400 元.

20. 解: (1)  $\because$  点 A 在反比例函数  $y = \frac{4}{x}$  上,

$$\therefore \frac{4}{x} = 4, \text{ 解得 } m = 1,$$

$\therefore$  点 A 的坐标为  $(1, 4)$ ,

又  $\because$  点 B 也在反比例函数  $y = \frac{4}{x}$  上,

$$\therefore \frac{4}{2} = n, \text{ 解得 } n = 2,$$

$$\therefore \text{点 } B \text{ 的坐标为 } (2, 2),$$

又 $\because$ 点  $A, B$  在  $y = kx + b$  的图像上,

$$\therefore \begin{cases} k + b = 4 \\ 2k + b = 2 \end{cases}, \text{ 解得 } \begin{cases} k = -2 \\ b = 6 \end{cases},$$

$$\therefore \text{一次函数的解析式为 } y = -2x + 6.$$

$$(2) \text{ 根据图像得: } kx + b - \frac{4}{x} > 0 \text{ 时, } x \text{ 的取值范围}$$

为  $x < 0$  或  $1 < x < 2$ ;

$$(3) \because \text{直线 } y = -2x + 6 \text{ 与 } x \text{ 轴的交点为 } N,$$

$$\therefore \text{点 } N \text{ 的坐标为 } (3, 0),$$

$$S_{\triangle AOB} = S_{\triangle AON} - S_{\triangle BON} = \frac{1}{2} \times 3 \times 4 - \frac{1}{2} \times 3 \times 2 = 3.$$

21. 解: (1) 在矩形  $ABCD$  中,  $AB = 3, AD = 8$ ,

$$\therefore CD = AB = 3, BC = AD = 8,$$

$$\therefore D(-6, 0),$$

$$\therefore A(-6, 8), C(-3, 0), B(-3, 8),$$

$\therefore E$  是  $BC$  的中点,

$$\therefore E(-3, 4),$$

$$\therefore \text{点 } E \text{ 在反比例函数 } y = \frac{k}{x} \text{ 的图像上,}$$

$$\therefore k = -3 \times 4 = -12,$$

设经过  $A, E$  两点的一次函数的表达式为  $y = k'x + b$ ,

$$\therefore \begin{cases} -6k' + b = 8 \\ -3k' + b = 4 \end{cases},$$

$$\therefore \begin{cases} k' = -\frac{4}{3} \\ b = 0 \end{cases},$$

$$\therefore \text{经过 } A, E \text{ 两点的一次函数的表达式为 } y = -\frac{4}{3}x;$$

(2) 如图 1, 由 (1) 知,  $k = -12$ ,




图1

$$\therefore \text{反比例函数的解析式为 } y = -\frac{12}{x},$$

$$\therefore \text{点 } F \text{ 的横坐标为 } -6,$$

$$\therefore \text{点 } F \text{ 的纵坐标为 } 2,$$

$$\therefore F(-6, 2),$$

作点  $F$  关于  $x$  轴的对称点  $F'$ , 则  $F'(-6, -2)$ , 连接  $EF'$  交  $x$  轴于  $P$ , 此时  $PE + PF$  的值最小,

$$\therefore E(-3, 4),$$

$$\therefore \text{直线 } EF' \text{ 的解析式为 } y = 2x + 10,$$

$$\text{令 } y = 0, \text{ 则 } 2x + 10 = 0,$$

$$\therefore x = -5,$$

$$\therefore P(-5, 0);$$

(3) 如图 2,

$$\text{由 (2) 知, } F'(-6, -2),$$

$$\therefore E(-3, 4), F(-6, 2),$$

$$\therefore S_{\triangle PEF} = S_{\triangle EFF'} - S_{\triangle PFF'} = \frac{1}{2} \times (2+2) \times (-3+6) - \frac{1}{2}$$

$$(2+2) \times (-5+6) = 4,$$

$$\therefore E(-3, 4), F(-6, 2),$$

$$\therefore \text{直线 } EF \text{ 的解析式为 } y = \frac{2}{3}x + 6,$$

由 (1) 知, 经过  $A, E$  两点的一次函数的表达式为  $y = -\frac{4}{3}x$ ,

$$\text{设点 } Q(m, -\frac{4}{3}m),$$

过点  $Q$  作  $y$  轴的平行线交  $EF$  于  $G$ ,

$$\therefore G(m, \frac{2}{3}m + 6),$$

$$\therefore QG = |-\frac{4}{3}m - \frac{2}{3}m - 6| = |2m + 6|,$$

$$\therefore S_{\triangle QEF} = S_{\triangle PEF},$$

$$\therefore S_{\triangle QEF} = \frac{1}{2} |2m + 6| \times (-3 + 6) = 4,$$

$$\therefore m = -\frac{5}{3} \text{ 或 } m = -\frac{13}{3},$$

$$\therefore Q(-\frac{5}{3}, \frac{20}{9}) \text{ 或 } (-\frac{13}{3}, \frac{52}{9}).$$




图2

## 测试卷(四)

### 一、选择题

1.C 2.B 3.B 4.C 5.B 6.A 7.C 8.D 9.B

10.D

### 二、填空题

11.  $m \neq 2$  12.  $y = x^2 + 6x$  13. 直线  $x = \frac{1}{2}$  14.  $y_3 >$

$y_2 > y_1$  15.  $y = 3(x+4)^2$  16.  $y = 2(x-2)^2 + 1$  (答案不唯一) 17. 8

### 三、解答题

18. 解: (1)  $\because$  垂直于墙的边长为  $x$ ,

$\therefore$  平行于墙的边长为  $40-2x$ ,

$\therefore y = x(40-2x)$ ,

即  $y$  与  $x$  之间的函数关系式为  $y = -2x^2 + 40x$ ;

(2) 由题意, 得  $\begin{cases} x > 0 \\ 40-2x > 0 \end{cases}$ ,

解得  $0 < x < 20$ .

19. 解:  $\because$  抛物线  $y = ax^2 + bx + 6$  经过点  $A(-2, 0)$ ,  $B(4, 0)$ ,

$\therefore \begin{cases} 4a-2b+6=0 \\ 16a+4b+6=0 \end{cases}$ ,

解得  $\begin{cases} a = -\frac{3}{4} \\ b = \frac{3}{2} \end{cases}$ ,

$\therefore$  抛物线的函数表达式为  $y = -\frac{3}{4}x^2 + \frac{3}{2}x + 6$

20. 解: (1)  $y = x^2 - 6x + 9 - 9 + 5 = (x-3)^2 - 4$ , 即  $y = (x-3)^2 - 4$ ;

(2) 由(1)知, 抛物线解析式为  $y = (x-3)^2 - 4$ ,

所以抛物线的对称轴为:  $x = 3$ , 顶点坐标为  $(3, -4)$ .

21. 解: (1) 设  $y = kx + b$ ,

由表可知: 当  $x = 15$  时,  $y = 150$ , 当  $x = 16$  时,  $y = 140$ ,

则  $\begin{cases} 150 = 15k + b \\ 140 = 16k + b \end{cases}$ , 解得:  $\begin{cases} k = -10 \\ b = 300 \end{cases}$ ,

$\therefore y$  关于  $x$  的函数解析式为:  $y = -10x + 300$ ;

(2) 由题意可得:

$w = (-10x + 300)(x - 11) = -10x^2 + 410x - 3300$ ,

$\therefore w$  关于  $x$  的函数解析式为:  $w = -10x^2 + 410x - 3300$ ;

(3)  $\because$  对称轴  $x = \frac{410}{-2 \times (-10)} = 20.5$ ,  $a = -10 < 0$ ,  $x$

是整数,

$\therefore x = 20$  或  $21$  时,  $w$  有最大值,

当  $x = 20$  或  $21$  时, 代入, 可得:  $w = 900$ ,

$\therefore$  该工艺品每件售价为 20 元或 21 元时, 工艺品厂试销该工艺品每天获得的利润最大, 最大利润是 900 元.

22. 解: (1)  $\because$  抛物线  $y = ax^2 + bx + c$  的顶点是  $A(1, 3)$ ,

$\therefore$  抛物线的解析式为  $y = a(x-1)^2 + 3$ ,

$\because OA$  绕点  $O$  顺时针旋转  $90^\circ$  后得到  $OB$ ,

$\therefore B(3, -1)$ ,

把  $B(3, -1)$  代入  $y = a(x-1)^2 + 3$  可得  $a = -1$ ,

$\therefore$  抛物线的解析式为  $y = -(x-1)^2 + 3$ , 即  $y = -x^2 + 2x + 2$ ,

(2) ①如图 1 中, 连接  $OA'$ ,  $A'B$ .




图 1

$\therefore B(3, -1)$ ,

$\therefore$  直线  $OB$  的解析式为  $y = -\frac{1}{3}x$ ,

$\therefore A(1, 3)$ ,

$\therefore C(1, -\frac{1}{3})$ ,

$\therefore P(1, m)$ ,  $AP = PA'$ ,

$\therefore A'(1, 2m-3)$ ,

由题意  $3 > 2m-3 > -\frac{1}{3}$ ,

$\therefore 3 > m > \frac{4}{3}$ .

②当点  $P$  在  $x$  轴上方时,  $\because$  直线  $OA$  的解析式为  $y = 3x$ , 直线  $AB$  的解析式为  $y = -2x + 5$ ,

$\therefore P(1, m)$ ,

$\therefore M(\frac{m}{3}, m)$ ,  $N(\frac{5-m}{2}, m)$ ,

$\therefore MN = \frac{5-m}{2} - \frac{m}{3} = \frac{15-5m}{6}$ ,

$\therefore S_{\triangle A'MN} = \frac{5}{6} S_{\triangle OA'B}$ ,

$\therefore \frac{1}{2} \cdot (m-2m+3) \cdot \frac{15-5m}{6} = \frac{5}{6} \times \frac{1}{2} \times |2m-3| +$

$$\frac{1}{3} \times 3,$$

$$\text{整理得 } m^2 - 6m + 9 = |6m - 8|$$

$$\text{解得 } m = 6 + \sqrt{19} \text{ (舍去) 或 } 6 - \sqrt{19},$$

$$\text{当点 } P \text{ 在 } x \text{ 轴下方时, 同法可得 } \frac{1}{2} \cdot (3-m) \cdot$$

$$\left(\frac{5-m}{2} + 3m\right) = \frac{5}{6} \times \frac{1}{2} \times \left[-\frac{1}{3} - (2m-3)\right] \times 3,$$

$$\text{整理得: } 3m^2 - 12m - 1 = 0,$$

$$\text{解得 } m = \frac{6 - \sqrt{39}}{3} \text{ 或 } \frac{6 + \sqrt{39}}{3} \text{ (舍去),}$$

$$\therefore \text{ 满足条件的 } m \text{ 的值为 } 6 - \sqrt{19} \text{ 或 } \frac{6 - \sqrt{39}}{3}.$$

## 测试卷(五)

### 一、选择题

1.B 2.D 3.A 4.D 5.C 6.B 7.A 8.C 9.B  
10.A

### 二、填空题

11.  $\frac{1}{2}$  12.  $\frac{2}{5}$  13. 90 14. 80 15. 5 16. 4 17. 2

### 三、解答题

18. 解: (1) 11; 75; 78.

(2) 处于 B 等级及以上的人数为:  $\frac{7+1}{20} \times 3000 = 1200$ ;

(3) 该区教师每人一年(按 365 天计算)平均阅读文章的篇数 =  $\frac{1}{3} \times \frac{78.5}{5} \times 365 \approx 1910$ .

19. 解: (1)  $\because$  这次抽样中, “空气质量不低于良”的频数是  $30 - 0 - 1 - 2 = 27$ ,

$$\therefore \text{ 频率为 } \frac{27}{30} = 0.9;$$

$$(2) \because a = 30 - (15 + 2 + 1) = 12,$$

$$\therefore 365 \times \frac{12}{30} = 146.$$

答: 2009 年全年(共 365 天)空气质量为优的天数大约为 146 天.

20. 解: (1) 这四名候选人面试成绩的中位数为:

$$\frac{88+90}{2} = 89 \text{ (分)};$$

$$(2) \text{ 由题意得, } x \times 60\% + 90 \times 40\% = 87.6$$

$$\text{解得 } x = 86,$$

答: 表中  $x$  的值为 86;

(3) 甲候选人的综合成绩为:  $90 \times 60\% + 88 \times 40\% = 89.2 \text{ (分)},$

乙候选人的综合成绩为:  $84 \times 60\% + 92 \times 40\% =$

87.2(分),


丁候选人的综合成绩为:  $88 \times 60\% + 86 \times 40\% =$

87.2(分),

$\therefore$  以综合成绩排序确定所要招聘的前两名的  
人选是甲和丙.

21. 解: (1) 小刚摸出的小球上的数字是 4 的概率  
是  $\frac{1}{3}$ ;

(2) 解: (1) 画树状图得:



$\therefore$  共有 12 种可能的结果数, 即点  $P$  所有可能的  
坐标为  $(1, 2), (1, 3), (1, 4), (2, 1), (2, 3),$   
 $(2, 4), (3, 1), (3, 2), (3, 4), (4, 1), (4, 2),$   
 $(4, 3);$

点  $P(x, y)$  在函数  $y = -x + 6$  的图像上的结果有  
2 个,

$\therefore$  点  $P(x, y)$  在函数  $y = -x + 6$  的图像上的概率  
为  $\frac{2}{12} = \frac{1}{6}.$

22. 解: (1) 喜欢用电话沟通的人数为 20, 所占百  
分比为 20%,

$\therefore$  此次共抽查了:  $20 \div 20\% = 100$  人,

喜欢用 QQ 沟通所占比例为:  $\frac{30}{100} = \frac{3}{10},$

$\therefore$  “QQ” 的扇形圆心角的度数为:  $360^\circ \times \frac{3}{10} =$   
108,


故答案为: 100、108°;

(2) 喜欢用短信的人数为:  $100 \times 5\% = 5$  人

喜欢用微信的人数为:  $100 - 20 - 5 - 30 - 5 = 40$  人

补充图形, 如图所示:

学生最喜欢的沟通方式条形统计图




(3) 喜欢用微信沟通所占百分比为:  $\frac{40}{100} \times 100\%$   
 $= 40\%$

$\therefore$  该校共有 2500 名学生, 请估计该校最喜欢  
用“微信”进行沟通的学生有:  $2500 \times 40\% =$

1000 人;

(4) 画出树状图, 如图所示



所有情况共有 9 种情况, 其中甲、乙两名同学恰好选择同一种沟通方式的共有 3 种情况, 故甲、乙两名同学恰好选中同一种沟通方式的

$$\text{概率} = \frac{3}{9} = \frac{1}{3}.$$

## 测试卷(六)

### 一、选择题

1.D 2.B 3.A 4.B 5.C 6.D 7.A 8.B 9.C

10.B

### 二、填空题

11.  $36^\circ$  12.  $34^\circ$  13. 4 14. 9 cm 15. 20 16.  $2\sqrt{5}$

17. 1010

### 三、解答题

18. 证明:  $\because BE=CF$ ,

$$\therefore BE+EF=CF+EF, \text{ 即 } BF=CE,$$

在  $\triangle ABF$  和  $\triangle DCE$  中,

$$\begin{cases} AB=DC \\ \angle B=\angle C, \\ BF=CE \end{cases}$$

$$\therefore \triangle ABF \cong \triangle DCE (\text{SAS})$$

$$\therefore AF=DE.$$

19. 解: (1) 由题意可知,  $AB = \sqrt{2^2+6^2} = 2\sqrt{10}$ ,  $AC$

$$= \sqrt{2^2+6^2} = 2\sqrt{10},$$

$$BC = \sqrt{4^2+8^2} = 4\sqrt{5}$$

(2) 连接  $AD$

$$\text{由 (1) 可知, } AB^2+AC^2=BC^2, AB=AC$$

$$\therefore \angle BAC=90^\circ, \text{ 且 } \triangle ABC \text{ 是等腰直角三角形}$$

$$\therefore \text{以点 } A \text{ 为圆心的 } \widehat{EF} \text{ 与 } BC \text{ 相切于点 } D$$

$$\therefore AD \perp BC$$

$$\therefore AD = \frac{1}{2}BC = 2\sqrt{5} \text{ (或用等面积法 } AB \cdot AC =$$

$$BC \cdot AD \text{ 求出 } AD \text{ 长度)}$$

$$\therefore S_{\text{阴影}} = S_{\triangle ABC} - S_{\text{扇形 } EAF}$$

$$S_{\triangle ABC} = \frac{1}{2} \times 2\sqrt{10} \times 2\sqrt{10} = 20$$

$$S_{\text{扇形 } EAF} = \frac{1}{4}\pi (2\sqrt{5})^2 = 5\pi$$

$$\therefore S_{\text{阴影}} = 20 - 5\pi$$

20. 解: (1) 四边形  $ABB'A'$  是菱形.

理由: 由平移得  $AA' \parallel BB'$ ,  $AA' = BB'$ ,

$\therefore$  四边形  $ABB'A'$  是平行四边形,  $\angle AA'B = \angle A'BC$ .

$$\therefore BA' \text{ 平分 } \angle ABC,$$

$$\therefore \angle ABA' = \angle A'BC,$$

$$\therefore \angle AA'B = \angle A'BA.$$

$$\therefore AB = AA',$$

$\therefore$  四边形  $ABB'A'$  是菱形;

(2) 解: 过点  $A$  作  $AF \perp BC$  于点  $F$

由 (1) 得  $BB' = BA = 6$ .

$$\therefore AC' \perp A'B',$$

$$\therefore \angle B'EC' = 90^\circ,$$


$$\therefore AB \parallel A'B',$$

$$\therefore \angle BAC' = \angle B'EC' = 90^\circ.$$

在  $\text{Rt} \triangle ABC'$  中,  $AC' = \sqrt{BC'^2 - AB^2} = 8$ .

$$\therefore S_{\triangle ABC'} = \frac{1}{2}AB \cdot AC' = \frac{1}{2}BC' \cdot AF,$$

$$\therefore AF = \frac{AB \cdot AC'}{BC'} = \frac{24}{5},$$



$$\therefore S_{\text{菱形 } ABB'A'} = BB' \cdot AF = \frac{144}{5},$$

$$\therefore \text{菱形 } ABB'A' \text{ 的面积是 } \frac{144}{5}.$$

21. (1) 证明:  $\because AE \perp BP$ ,

$$\therefore \angle DBE + \angle DEB = 90^\circ,$$

$$\therefore \angle ACB = 90^\circ,$$

$$\therefore \angle DBE + \angle CPB = 90^\circ,$$

$$\therefore \angle CPB = \angle DEB,$$

在  $\triangle ACE$  和  $\triangle BCP$  中,

$$\begin{cases} \angle ACE = \angle BCP \\ \angle AEC = \angle BPC, \\ AC = BC \end{cases}$$

$$\therefore \triangle ACE \cong \triangle BCP (\text{AAS});$$

(2) 解: 在  $\text{Rt} \triangle ABC$  中,  $AB = \sqrt{AC^2 + BC^2} = 2$ ,

$$\therefore AD = CD,$$

$\therefore \angle DAC = \angle DCA$ ,  
 $\therefore \angle DAC + \angle DEC = 90^\circ$ ,  $\angle DCE + \angle DCA = 90^\circ$ ,  
 $\therefore \angle DCE = \angle DEC$ ,  
 $\therefore DC = DE$ ,  
 $\therefore AD = DE$ ,  
 $\therefore AD = DE$ ,  $BD \perp AE$ ,  
 $\therefore BE = AB = 2$ ,  
 $\therefore \triangle ACE \cong \triangle BCP$ ,

$\therefore CP = CE = BE - BC = 2 - \sqrt{2}$ ;

(3) 解:  $\angle ADC$  的大小保持不变,  
理由如下: 作  $CF \perp BD$  于  $F$ ,  $CH \perp AE$  于  $H$ ,

$\therefore \triangle ACE \cong \triangle BCP$ ,  
 $\therefore CE = CP$ ,  $\angle BPC = \angle E$ ,  
 在  $\triangle CFP$  和  $\triangle CHE$  中,

$$\begin{cases} \angle CFP = \angle CHE \\ \angle FPC = \angle HEC, \\ CP = CE \end{cases}$$


$\therefore \triangle CFP \cong \triangle CHE$  (AAS)

$\therefore CF = CH$ , 又  $CF \perp BD$ ,  $CH \perp AE$ ,

$\therefore CD$  平分  $\angle EDB$ ,

$\therefore \angle EDC = \frac{1}{2} \angle EDB = 45^\circ$ ,

$\therefore \angle ADC = 180^\circ - \angle EDC = 135^\circ$ , 即  $\angle ADC$  的大小保持不变, 为  $135^\circ$ .



22. 应用: 解: ①若  $PB = PC$ , 连接  $PB$ , 则  $\angle PCB = \angle PBC$ ,

$\therefore CD$  为等边三角形的高,

$\therefore AD = BD$ ,  $\angle PCB = 30^\circ$ ,

$\therefore \angle PBD = \angle PBC = 30^\circ$ ,

$\therefore PD = \frac{\sqrt{3}}{3} DB = \frac{\sqrt{3}}{6} AB$ ,

与已知  $PD = \frac{1}{2} AB$  矛盾,  $\therefore PB \neq PC$ ,

②若  $PA = PC$ , 连接  $PA$ , 同理可得  $PA \neq PC$ ,

③若  $PA = PB$ , 由  $PD = \frac{1}{2} AB$ , 得  $PD = BD$ ,

$\therefore \angle APD = 45^\circ$ ,

故  $\angle APB = 90^\circ$ ;

探究: 解:  $\therefore BC = 5$ ,  $AB = 3$ ,

$\therefore AC = \sqrt{BC^2 - AB^2} = \sqrt{5^2 - 3^2} = 4$ ,


①若  $PB = PC$ , 设  $PA = x$ , 则  $x^2 + 3^2 = (4 - x)^2$ ,

$\therefore x = \frac{7}{8}$ , 即  $PA = \frac{7}{8}$ ,

②若  $PA = PC$ , 则  $PA = 2$ ,

③若  $PA = PB$ , 由图知, 在  $\text{Rt} \triangle PAB$  中, 不可能.

故  $PA = 2$  或  $\frac{7}{8}$ .



## 测试卷(七)

### 一、选择题

1. B 2. A 3. C 4. C 5. A 6. D 7. D 8. D 9. D

10. A

### 二、填空题

11. 300 12. 16:81 13.  $\frac{20}{3}$  14.  $\sqrt{5} - 1$  15. -2

16. (2, 4) 或 (-2, -4) 17.  $20\sqrt{2}$

### 三、解答题

18. 解: (1) 证明:  $\therefore \angle A = \angle A$ ,  $\angle ACD = \angle B$ ,

$\therefore \triangle ABC \sim \triangle ACD$ .

(2) 解:  $\therefore \triangle ABC \sim \triangle ACD$ ,

$$\therefore \frac{AC}{AD} = \frac{AB}{AC},$$

$$\therefore \frac{6}{4} = \frac{AB}{6},$$

$\therefore AB = 9$ ,

$\therefore BD = AB - AD = 9 - 4 = 5$ .

19. 解: (1)  $\triangle ACF \sim \triangle AHC$ . 理由如下:

$\therefore AC = \sqrt{2}$ ,  $AF = 1$ ,  $AH = 2$ ,

$$\therefore \frac{AH}{AC} = \frac{AC}{AF} = \sqrt{2},$$

而  $\angle FAC = \angle CAH$ ,

$\therefore \triangle ACF \sim \triangle AHC$ ;

(2)  $\therefore \triangle ACF \sim \triangle AHC$

$\therefore \angle 2 = \angle ACH$ ,

而  $\angle 1 = \angle ACH + \angle 3$ ,

$\therefore \angle 1 = \angle 2 + \angle 3$ .

$\therefore \angle 1 = 45^\circ$ ,

$\therefore \angle 1 + \angle 2 + \angle 3 = 90^\circ$ .

20.  $\therefore$  四边形  $EGHF$  为正方形

$\therefore BC \parallel EF$

$$\therefore \triangle AEF \sim \triangle ABC$$

设正方形零件边长为  $x$  mm, 则  $KD=EF=x$  mm

$$AK=(80-x)\text{ mm}$$

$$\therefore AD \perp BC$$

$$\therefore \frac{EF}{BC} = \frac{AK}{AD}$$

$$\therefore \frac{x}{120} = \frac{80-30}{80}$$

$$\therefore x=48$$

$\therefore$  正方形零件边长为 48 mm.

21. 解: 设楼高  $CE$  为  $x$  米,

$$\therefore \text{在 Rt} \triangle AEC \text{ 中}, \angle CAE=45^\circ,$$

$$\therefore AE=CE=x,$$

$$\therefore AB=20,$$

$$\therefore BE=x-20,$$

$$\text{在 Rt} \triangle CEB \text{ 中}, CE=BE \cdot \tan 63.4^\circ \approx 2(x-20),$$

$$\therefore 2(x-20)=x,$$


$$\text{解得: } x=40(\text{米}),$$

$$\text{在 Rt} \triangle DAE \text{ 中}, DE=AE \tan 30^\circ = 40 \times \frac{\sqrt{3}}{3} =$$

$$\frac{40\sqrt{3}}{3},$$

$$\therefore CD=CE-DE=40-\frac{40\sqrt{3}}{3} \approx 17(\text{米}),$$

答: 大楼部分楼体  $CD$  的高度约为 17 米.



图②

22. 解: (1) 如图作  $DH \perp AB$  于  $H$ , 则四边形  $DHBC$  是矩形,

$$\therefore CD=BH=8, DH=BC=6,$$

$$\therefore AH=AB-BH=8, AD=\sqrt{DH^2+AH^2}=10, BD=\sqrt{CD^2+BC^2}=10,$$

$$\text{由题意 } AP=AD-DP=10-2t.$$

(2) 当以点  $A, P, Q$  为顶点的三角形与  $\triangle ABD$  相似时,

$$\therefore \frac{AP}{AD} = \frac{AQ}{AB} \text{ 或 } \frac{AP}{AB} = \frac{AQ}{AD},$$

$$\therefore \frac{10-2t}{10} = \frac{2t}{16} \text{ 或 } \frac{10-2t}{16} = \frac{2t}{10},$$

$$\text{解得: } t = \frac{40}{13} \text{ 或 } t = \frac{25}{13},$$

$$\therefore \text{当 } t = \frac{40}{13} \text{ 或 } t = \frac{25}{13} \text{ 时, 当以点 } A, P, Q \text{ 为顶点的}$$

三角形与  $\triangle ABD$  相似;

(3) 过  $P$  作  $PN \perp AB$  于  $N$ ,

$$\text{当 } PQ \perp BD \text{ 时}, \angle PQN + \angle DBA = 90^\circ,$$

$$\therefore \angle QPN + \angle PQN = 90^\circ,$$

$$\therefore \angle QPN = \angle DBA,$$


$$\therefore \tan \angle QPN = \frac{QN}{PN} = \frac{3}{4},$$

$$\therefore \frac{\frac{4}{5}(10-2t)-2t}{\frac{3}{5}(10-2t)} = \frac{3}{4},$$

$$\text{解得 } t = \frac{35}{27},$$

$$\text{经检验: } t = \frac{35}{27} \text{ 是分式方程的解,}$$

$$\therefore \text{当 } t = \frac{35}{27} \text{ s 时, } PQ \perp BD.$$



## 测试卷(八)

### 一、选择题

1.D 2.A 3.B 4.C 5.C 6.B 7.A 8.B 9.A

10.B

### 二、填空题

11.7 12.4 13. $30^\circ$  14.45 15. $\frac{120}{13}$  16.3  $\sqrt{2}$

17.①②④

### 三、解答题

18. 证明: (1)  $\because \angle BAC = \angle DCA,$

$$\therefore AB \parallel CD,$$

$$\text{又} \because AB=CD,$$

$$\therefore \text{四边形 } ABCD \text{ 为平行四边形;}$$

(2)  $\because$  四边形  $ABCD$  为平行四边形,

$$\therefore AE=EC=2, BE=DE, AB=CD=5,$$

$$\therefore BC=\sqrt{AB^2-AC^2}=\sqrt{25-16}=3,$$

$$\therefore BE=\sqrt{BC^2+CE^2}=\sqrt{9+4}=\sqrt{13},$$

$$\therefore BD=2BE=2\sqrt{13}.$$

19. (1) 证明:  $\because$  四边形  $ABCD$  是正方形,

$$\therefore AB=CB, \angle ABC=90^\circ,$$



$\therefore \triangle EBF$  是等腰直角三角形, 其中  $\angle EBF = 90^\circ$ ,

$\therefore BE = BF$ ,

$\therefore \angle ABC - \angle CBF = \angle EBF - \angle CBF$ ,

$\therefore \angle ABF = \angle CBE$ .

在  $\triangle ABF$  和  $\triangle CBE$  中, 有 
$$\begin{cases} AB = CB \\ \angle ABF = \angle CBE, \\ BF = BE \end{cases}$$

$\therefore \triangle ABF \cong \triangle CBE$  (SAS).

(2) 解:  $\triangle CEF$  是直角三角形. 理由如下:

$\therefore \triangle EBF$  是等腰直角三角形,

$\therefore \angle BFE = \angle FEB = 45^\circ$ ,

$\therefore \angle AFB = 180^\circ - \angle BFE = 135^\circ$ ,

又  $\therefore \triangle ABF \cong \triangle CBE$ ,

$\therefore \angle CEB = \angle AFB = 135^\circ$ ,

$\therefore \angle CEF = \angle CEB - \angle FEB = 135^\circ - 45^\circ = 90^\circ$ ,

$\therefore \triangle CEF$  是直角三角形.

20. (1) 证明:  $\therefore AE \parallel BD, AE = BD$ ,

$\therefore$  四边形  $AEBD$  是平行四边形,

$\therefore AB = AC, D$  为  $BC$  的中点,

$\therefore AD \perp BC$ ,

$\therefore \angle ADB = 90^\circ$ ,

$\therefore$  四边形  $AEBD$  是矩形.

(2) 解:  $\therefore$  四边形  $AEBD$  是矩形,

$\therefore \angle AEB = 90^\circ$ ,

$\therefore AE = 2, BE = 2\sqrt{3}$ ,

$\therefore BC = 4$ ,

$\therefore EC = \sqrt{BE^2 + BC^2} = 2\sqrt{7}$

$\therefore AE \parallel BC$ ,

$\therefore \triangle AEF \sim \triangle BCF$ ,

$\therefore \frac{EF}{CF} = \frac{AE}{BC} = \frac{1}{2}$ ,

$\therefore EF = \frac{1}{3}EC = \frac{2\sqrt{7}}{3}$ .

21. (1) 证明: 由题意可得,

$\triangle BCE \cong \triangle BFE, \therefore \angle BEC = \angle BEF, FE = CE$ .

$\therefore FG \parallel CE, \therefore \angle FGE = \angle CEB, \therefore \angle FGE = \angle FEC, \therefore FG = FE$ ,

$\therefore FG = EC$ ,

$\therefore$  四边形  $CEFG$  是平行四边形.

又  $\therefore CE = FE, \therefore$  四边形  $CEFG$  是菱形

(2)  $\therefore$  矩形  $ABCD$  中,  $AB = 6, AD = 10, BC = BF$ ,

$\therefore \angle BAF = 90^\circ, AD = BC = BF = 10$ ,

$\therefore AF = 8, \therefore DF = 2$ .

设  $EF = x$ , 则  $CE = x, DE = 6 - x$ ,

$\therefore FDE = 90^\circ$ ,

$\therefore 2^2 + (6 - x)^2 = x^2$ ,

解得  $x = \frac{10}{3}$

$\therefore CE = \frac{10}{3}$ ,

$\therefore$  四边形  $CEFG$  的面积是:  $CE \cdot DF = \frac{10}{3} \times 2 =$

$\frac{20}{3}$ .

22. 解: (1)  $\therefore$  四边形  $ABCD$  是对余四边形,

依题意得,  $\angle B + \angle D = 90^\circ$ ,

$\therefore \angle D = 30^\circ$ ,

$\therefore \angle B = 90^\circ - \angle D = 60^\circ$ ,

$\therefore AB = AC$ ,

$\therefore \triangle ABC$  是等边三角形,

$\therefore \angle ACB = 60^\circ$ ,

$\therefore \angle ACD = 105^\circ$ ,

$\therefore \angle BCD = \angle ACB + \angle ACD = 165^\circ$ ,

在四边形  $ABCD$  中,  $\angle BAD = 360^\circ - \angle B - \angle ACD - \angle D = 360^\circ - 60^\circ - 165^\circ - 30^\circ = 105^\circ$ ;

(2) 四边形  $ABCD$  为对余四边形,

证明:  $\therefore AD \perp BD$ ,

$\therefore \angle ADB = 90^\circ$ ,

$\therefore DA = DB$ ,

$\therefore \angle BAD = \angle ABD = 45^\circ$ ,

如图 2, 过点  $D$  作  $DM \perp CD$ , 使  $CD = CM$ , 连接  $CM, BM$ ,




图2

$\therefore \angle DMC = \angle DCM = 45^\circ$ ,

$\therefore \angle ADB = \angle CDM = 90^\circ$ ,

$\therefore \angle ADB + \angle BDC = \angle CDM + \angle BDC$ ,

$\therefore \angle ADC = \angle BDM$ .

在  $\triangle ADC$  和  $\triangle BDM$  中,

$$\begin{cases} DA = DB \\ \angle ADC = \angle BDM, \\ DC = DM \end{cases}$$

$\therefore \triangle ADC \cong \triangle BDM$  (SAS),

$$\therefore AC=BM.$$

在  $\text{Rt}\triangle MDC$  中, 根据勾股定理得,  $CM^2 = CD^2 + DM^2 = 2CD^2$ ,

$$\therefore 2CD^2 + CB^2 = AC^2,$$

$$\therefore CM^2 + CB^2 = BM^2,$$

$\therefore \triangle BCM$  是直角三角形, 且  $\angle BCM = 90^\circ$ ,

$$\therefore \angle DCM = 45^\circ,$$

$$\therefore \angle DCB = \angle BCM - \angle DCM = 45^\circ,$$

$$\therefore \angle DCB + \angle DAB = 90^\circ,$$

$\therefore$  四边形  $ABCD$  为对余四边形;

### 测试卷(九)

#### 一、选择题

1.B 2.B 3.A 4.C 5.D 6.A 7.C 8.B

9.A 10.B

#### 二、填空题

11. 以点  $O$  为圆心, 以 8 cm 为半径的圆 12. 90 cm

13.  $(3, 3\sqrt{3})$  14. 6 15.  $21\pi$  16. 12 17.  $\frac{1+\sqrt{3}}{2}a$

#### 三、解答题

18. (1) 证明: 连接  $OC$ ,

$$\therefore \widehat{AC} = \widehat{BC},$$

$$\therefore \angle AOC = \angle BOC, \text{ 又 } CD \perp OA, CE \perp OB,$$

$$\therefore CD = CE;$$

(2) 解:  $\therefore \angle AOB = 120^\circ$ ,

$$\therefore \angle AOC = \angle BOC = 60^\circ,$$

$$\therefore \angle CDO = 90^\circ,$$

$$\therefore \angle OCD = 30^\circ,$$

$$\therefore OD = \frac{1}{2}OC = 1,$$

$$\therefore CD = \sqrt{OC^2 - OD^2} = \sqrt{2^2 - 1^2} = \sqrt{3},$$

$$\therefore \triangle OCD \text{ 的面积} = \frac{1}{2} \times OD \times CD = \frac{\sqrt{3}}{2},$$

$$\text{同理可得, } \triangle OCE \text{ 的面积} = \frac{1}{2} \times OE \times CE = \frac{\sqrt{3}}{2},$$

$$\therefore \text{四边形 } DOEC \text{ 的面积} = \frac{\sqrt{3}}{2} + \frac{\sqrt{3}}{2} = \sqrt{3}.$$

19. (1) 解:  $\therefore$  点  $C$  以  $AD$  为直径的圆上,

$$\therefore \angle ACD = 90^\circ,$$

$$\text{根据勾股定理得, } AD = \sqrt{AC^2 + CD^2} = \sqrt{3^2 + 1^2} = \sqrt{10},$$

$\therefore$  点  $E$  以  $AD$  为直径的圆上,

$$\therefore \angle AED = 90^\circ,$$

在  $\text{Rt}\triangle ADE$  中,  $\angle DAE = 30^\circ$ ,

$$\therefore \sin \angle DAE = \frac{DE}{AD},$$

$$\therefore DE = AD \cdot \sin \angle DAE = \sqrt{10} \times \sin 30^\circ = \frac{\sqrt{10}}{2};$$

$$(2) \therefore AF \parallel CD, \therefore \angle ADC = \angle FAD,$$

$$\therefore \angle ADC = \angle AEC, \therefore \angle AEC = \angle FAD,$$

$$\therefore \angle ACE = \angle ADF,$$

$$\therefore \triangle AEC \sim \triangle FAD;$$

20. (1) 证明:  $\therefore AB$  是  $\odot O$  的直径,

$$\therefore \angle ADB = 90^\circ,$$

$$\therefore OC \parallel BD,$$

$$\therefore \angle AEO = \angle ADB = 90^\circ, \text{ 即 } OC \perp AD,$$

$$\therefore AE = ED$$

(2) 解:  $\therefore OC \perp AD$ ,

$$\therefore \widehat{AC} = \widehat{CD},$$

$$\therefore \angle ABC = \angle CBD = 36^\circ,$$


$$\therefore \angle AOC = 2\angle ABC = 2 \times 36^\circ = 72^\circ,$$

$$\therefore \widehat{AC} = \frac{72\pi \times 5}{180} = 2\pi,$$

$$S = \frac{72\pi \cdot 5^2}{360} = 5\pi.$$

21. (1) 证明: 连接  $AD$ ,

$$\therefore AB \text{ 为直径, } \therefore \angle ADB = 90^\circ, \therefore AD \perp BC,$$



$$\therefore AB = AC, \therefore BD = CD,$$

$$\therefore AO = OB, \therefore OD = \frac{1}{2}AC, OD \parallel AC,$$

$$\therefore DF \text{ 为 } \odot O \text{ 的切线, } \therefore OD \perp DF, \therefore AC \perp DF,$$

$$\therefore \text{四边形 } ABDE \text{ 内接于圆 } O, \therefore \angle DEC = \angle ABD,$$

$$\therefore AB = AC, \therefore \angle ABD = \angle ACB, \therefore \angle DEC = \angle ACB,$$

$$\therefore DE = DC,$$

$$\therefore EF = CF;$$

$$(2) \text{Rt}\triangle ABD \text{ 中, } \cos \angle ABC = \frac{BD}{AB} = \frac{3}{5},$$

$$\therefore AB = 10, \therefore BD = 6, AC = 10,$$


$$\therefore DC=BD=6, \quad S_{\triangle ACD}=\frac{1}{2}CD \cdot AD=\frac{1}{2}AC \cdot$$

$$DF, 10DF=6 \times 8, DF=\frac{24}{5},$$

$$\text{由勾股定理得: } AF=\sqrt{8^2-(\frac{24}{5})^2}=\frac{32}{5}.$$

22. (1) 证明: 连接  $OE$ ,

$$\because \angle B \text{ 的平分线 } BE \text{ 交 } AC \text{ 于 } D, \therefore \angle CBE = \angle ABE.$$



$$\because EF \parallel AC, \therefore \angle CAE = \angle FEA.$$

$$\because \angle OBE = \angle OEB, \angle CBE = \angle CAE,$$

$$\therefore \angle FEA = \angle OEB.$$

$$\because \angle AEB = 90^\circ, \therefore \angle FEO = 90^\circ.$$

$\therefore EF$  是  $\odot O$  切线.

(2) 解: 在  $\triangle FEA$  与  $\triangle FBE$  中,

$$\because \angle F = \angle F, \angle FEA = \angle FBE,$$

$$\therefore \triangle FEA \sim \triangle FBE,$$

$$\therefore \frac{AF}{EF} = \frac{EF}{BF} = \frac{AE}{BE},$$

$$\therefore AF \cdot BF = EF \cdot EF,$$

$$\therefore AF \times (AF + 15) = 10 \times 10, \quad \text{解得 } AF = 5. \quad \therefore$$

$$BF = 20.$$

$$\therefore \frac{10}{20} = \frac{AE}{BE}, \quad \therefore BE = 2AE,$$

$$\because AB \text{ 为 } \odot O \text{ 的直径}, \therefore \angle AEB = 90^\circ,$$

$$\therefore AE^2 + BE^2 = 15^2,$$

$$\therefore AE^2 + (2AE)^2 = 225,$$

$$\therefore AE = 3\sqrt{5}.$$

## 测试卷(十)

### 一、选择题

1.D 2.A 3.D 4.B 5.C 6.B 7.D 8.B 9.B

10.B

### 二、填空题

11. 中心投影 12. 13 13. C 14. 70 15. SSS 16.


60 17. 6

### 三、解答题

18. 解: (1) 如图,  $\triangle A_1OB_1$  为所作;

$$(2) OA = \sqrt{2^2 + 3^2} = \sqrt{13},$$

$$\text{所以 } A_1 \text{ 旋转经过的路程长} = \frac{90 \cdot \pi \cdot \sqrt{13}}{180} =$$




$$\frac{\sqrt{13}}{2}\pi.$$

19. 解: (1) 如图,  $AD$  为所作.


$$(2) \text{ 在 } \text{Rt} \triangle ABC \text{ 中}, BC = \sqrt{6^2 + 8^2} = 10,$$

$$\therefore \frac{1}{2}AD \cdot BC = \frac{1}{2}AB \cdot AC,$$

$$\therefore AD = \frac{6 \times 8}{10} = 4.8.$$



20. 解: (1) 如图,  $CD$  为所作;



$$(2) \because \angle ACE = \angle ABC, \angle CAE = \angle BAC,$$

$$\therefore \triangle ACE \sim \triangle ABC,$$

$$\therefore AE:AC = AC:AB,$$

$$\text{即 } AE:6 = 6:8,$$

$$\therefore AE = \frac{9}{2}.$$

21. 解:  $\because CD \parallel AB,$

$$\therefore \triangle EAB \sim \triangle ECD,$$

$$\therefore \frac{CD}{AB} = \frac{DE}{BE}, \text{ 即 } \frac{2}{AB} = \frac{3}{3+BD} \text{ ①},$$

$$\because FG \parallel AB,$$

$$\therefore \triangle HFG \sim \triangle HAB,$$

$$\therefore \frac{FG}{AB} = \frac{HG}{HB}, \text{ 即 } \frac{2}{AB} = \frac{5}{BD+5+5} \text{ ②},$$


$$\text{由 ①② 得 } \frac{3}{3+BD} = \frac{5}{BD+5+5},$$

$$\text{解得 } BD = 7.5,$$


$$\therefore \frac{2}{AB} = \frac{3}{7.5+3}, \text{解得: } AB=7.$$

答:路灯杆  $AB$  的高度为 7 m.

22. (1) 解: 如图 1: 点  $O$  即为所求.



(2) ① 证明: 如图 2 中, 连接  $OD$  交  $BC$  于  $F$ .



$\because AD$  平分  $\angle BAC$ ,

$\therefore \angle DAC = \angle DAB$ ,

$\therefore \widehat{CD} = \widehat{BD}$ ,

$\therefore OD \perp BC$ ,

$\therefore CF = BF, \angle CFD = 90^\circ$ ,

$\because DE$  是切线,

$\therefore DE \perp OD$ ,

$\therefore \angle EDF = 90^\circ$ ,

$\because AB$  是直径,

$\therefore \angle ACB = \angle BCE = 90^\circ$ ,

$\therefore$  四边形  $DECF$  是矩形,

$\therefore \angle E = 90^\circ$ ,

$\therefore AE \perp DE$ .

②  $\because$  四边形  $DECF$  是矩形,

$\therefore DE = CF = BF = 3$ ,

在  $\text{Rt} \triangle ACB$  中,  $AB = \sqrt{2^2 + 6^2} = 2\sqrt{10}$ ,

$\therefore$  残缺圆的半圆面积  $= \frac{1}{2} \cdot \pi \cdot (\sqrt{10})^2 = 5\pi$ .